

RECEIVED  
CENTRAL FAX CENTER  
MAY 31 2007

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-13 (canceled)

Claim 14 (currently amended): An optical receiver circuit, comprising:

a differential amplifier including a first input and a second input;

an optical reception device connected to said first input of said differential amplifier by a first preamplifier, said optical reception device having an electrical behavior in an illumination-free case; and

an electrical element for simulating the electrical behavior of said optical reception device in the illumination-free case, said electrical element connected to said second input of said differential amplifier by a second preamplifier; and

said first preamplifier and said second preamplifier being identical transimpedance amplifiers.

Applic. No. 10/649,602  
Response Dated May 31, 2007  
Responsive to Office Action of March 2, 2007

Claim 15 (canceled)

Claim 16 (previously presented): The optical receiver  
circuit according to claim 14, wherein:

said electrical element is formed by a darkened, further  
reception device.

Claim 17 (previously presented): The optical receiver  
circuit according to claim 16, wherein:

said optical reception device and said further reception  
device are monolithically integrated on a chip.

Claim 18 (canceled)

Claim 19 (canceled)

Claim 20 (currently amended): ~~The optical receiver circuit  
according to claim 18, further comprising:~~ An optical receiver  
circuit, comprising:

a differential amplifier including a first input and a second  
input;

Applic. No. 10/649,602  
Response Dated May 31, 2007  
Responsive to Office Action of March 2, 2007

an optical reception device connected to said first input of  
said differential amplifier by a first preamplifier, said  
optical reception device having an electrical behavior in an  
illumination-free case;

an electrical element for simulating the electrical behavior  
of said optical reception device in the illumination-free  
case, said electrical element connected to said second input  
of said differential amplifier by a second preamplifier; and

said first preamplifier and said second preamplifier being  
identical;

an integrated control circuit;

said first preamplifier being a transimpedance amplifier  
having a feedback impedance with a magnitude being settable by  
a user via said integrated control circuit; and

said second preamplifier being a transimpedance amplifier  
having a feedback impedance with a magnitude being settable by  
a user via said integrated control circuit.

Claim 21 (previously presented): The optical receiver  
circuit according to claim 20, wherein:

Applic. No. 10/649,602  
Response Dated May 31, 2007  
Responsive to Office Action of March 2, 2007

said integrated control circuit is connected symmetrically to  
said feedback impedance of said first preamplifier and to said  
feedback impedance of said second preamplifier.

Claim 22 (previously presented): The optical receiver  
circuit according to claim 14, wherein:

said optical reception device and said electrical element are  
connected to a common supply voltage.

Claim 23 (previously presented): The optical receiver  
circuit according to claim 22, further comprising:

a low-pass filter connected to the common supply voltage.

Claim 24 (previously presented): The optical receiver  
circuit according to claim 14, wherein:

said optical reception device is a photodiode; and

said electrical element is a photodiode.

Claim 25 (previously presented): The receiver circuit  
according to claim 14, further comprising:

Applic. No. 10/649,602  
Response Dated May 31, 2007  
Responsive to Office Action of March 2, 2007

RECEIVED  
CENTRAL FAX CENTER  
MAY 31 2007

) a package for packaging said differential amplifier, said optical reception device, and said electrical element, said package being selected from the group consisting of a TO-46 package, a TSSOP10 package, and a VQFN20 package.

Claim 26 (previously presented): The receiver circuit according to claim 25, further comprising:

an integrated control circuit having a control terminal, said package having a terminal pin forming said control terminal.

Claim 27 (new): The optical receiver circuit according to claim 20, wherein:

said electrical element is formed by a darkened, further reception device.

Claim 28 (new): The optical receiver circuit according to claim 27, wherein:

) said optical reception device and said further reception device are monolithically integrated on a chip.

Applic. No. 10/649,602  
Response Dated May 31, 2007  
Responsive to Office Action of March 2, 2007

Claim 29 (new): The optical receiver circuit according to claim 20, wherein:

) said optical reception device and said electrical element are connected to a common supply voltage.

Claim 30 (new): The optical receiver circuit according to claim 29, further comprising:

a low-pass filter connected to the common supply voltage.

Claim 31 (new): The optical receiver circuit according to claim 20, wherein:

said optical reception device is a photodiode; and

said electrical element is a photodiode.

Claim 32 (new): The receiver circuit according to claim 20, further comprising:

) a package for packaging said differential amplifier, said optical reception device, and said electrical element, said package being selected from the group consisting of a TO-46 package, a TSSOP10 package, and a VQFN20 package.

Applic. No. 10/649,602  
Response Dated May 31, 2007  
Responsive to Office Action of March 2, 2007

Claim 33 (new):        The receiver circuit according to claim  
32, further comprising:

an integrated control circuit having a control terminal, said  
package having a terminal pin forming said control terminal.